

WOOD CASEMENT COMBINATION

CLAD CASEMENT COMBINATION

BRICK MOLD DIMENSION	6'-9"	7'-3"	7'-9"	8'-9"	9'-9"
ROUGH OPENING	6'-7 3/16"	7'-1 3/16"	7'-7 3/16"	8'-7 3/16"	9'-7 3/16"

6'-5 11/16" 5'-5 11/16" 4'-5 11/16" 3'-11 11/16" 3'-5 11/16"

ROUGH OPENING	6'-7 3/8"	7'-1 3/8"	7'-7 3/8"	8'-7 3/8"	9'-7 3/8"
3'-5"	WPC 16-36-36-16 CPC 16-36-36-16	WPC 16-42-36-16 CPC 16-42-36-16	WPC 16-48-36-16 CPC 16-48-36-16	WPC 16-60-36-16 CPC 16-60-36-16	WPC 16-72-36-16 CPC 16-72-36-16
3'-11"	WPC 16-36-42-16 CPC 16-36-42-16	WPC 16-42-42-16 CPC 16-42-42-16	WPC 16-48-42-16 CPC 16-48-42-16	WPC 16-60-42-16 CPC 16-60-42-16	WPC 16-72-42-16 CPC 16-72-42-16
4'-5"	WPC 16-36-48-16 CPC 16-36-48-16	WPC 16-42-48-16 CPC 16-42-48-16	WPC 16-48-48-16 CPC 16-48-48-16	WPC 16-60-48-16 CPC 16-60-48-16	WPC 16-72-48-16 CPC 16-72-48-16
5'-5"	WPC 16-36-60-16 CPC 16-36-60-16	WPC 16-42-60-16 CPC 16-42-60-16	WPC 16-48-60-16 CPC 16-48-60-16	WPC 16-60-60-16 CPC 16-60-60-16	WPC 16-72-60-16 CPC 16-72-60-16
6'-5"	WPC 16-36-72-16 CPC 16-36-72-16	WPC 16-42-72-16 CPC 16-42-72-16	WPC 16-48-72-16 CPC 16-48-72-16	WPC 16-60-72-16 CPC 16-60-72-16	WPC 16-72-72-16 CPC 16-72-72-16

BRICK MOLD DIMENSION	7'-5"	7'-11"	8'-5"	9'-5"	10'-5"
ROUGH OPENING	7'-3 3/16"	7'-9 3/16"	8'-3 3/16"	9'-3 3/16"	10'-3 3/16"

6'-5 11/16" 5'-5 11/16" 4'-5 11/16" 3'-11 11/16" 3'-5 11/16"

ROUGH OPENING	7'-3 3/8"	7'-9 3/8"	8'-3 3/8"	9'-3 3/8"	10'-3 3/8"
3'-5"	WPC 20-36-36-20 CPC 20-36-36-20	WPC 20-42-36-20 CPC 20-42-36-20	WPC 20-48-36-20 CPC 20-48-36-20	WPC 20-60-36-20 CPC 20-60-36-20	WPC 20-72-36-20 CPC 20-72-36-20
3'-11"	WPC 20-36-42-20 CPC 20-36-42-20	WPC 20-42-42-20 CPC 20-42-42-20	WPC 20-48-42-20 CPC 20-48-42-20	WPC 20-60-42-20 CPC 20-60-42-20	WPC 20-72-42-20 CPC 20-72-42-20
4'-5"	WPC 20-36-48-20 CPC 20-36-48-20	WPC 20-42-48-20 CPC 20-42-48-20	WPC 20-48-48-20 CPC 20-48-48-20	WPC 20-60-48-20 CPC 20-60-48-20	WPC 20-72-48-20 CPC 20-72-48-20
5'-5"	WPC 20-36-60-20 CPC 20-36-60-20	WPC 20-42-60-20 CPC 20-42-60-20	WPC 20-48-60-20 CPC 20-48-60-20	WPC 20-60-60-20 CPC 20-60-60-20	WPC 20-72-60-20 CPC 20-72-60-20
6'-5"	WPC 20-36-72-20 CPC 20-36-72-20	WPC 20-42-72-20 CPC 20-42-72-20	WPC 20-48-72-20 CPC 20-48-72-20	WPC 20-60-72-20 CPC 20-60-72-20	WPC 20-72-72-20 CPC 20-72-72-20

BRICK MOLD DIMENSION	8'-1"	8'-7"	9'-1"	10'-1"	11'-1"
ROUGH OPENING	7'-11 3/16"	8'-5 3/16"	8'-11 3/16"	9'-11 3/16"	10'-11 3/16"

6'-5 11/16" 5'-5 11/16" 4'-5 11/16" 3'-11 11/16" 3'-5 11/16"

ROUGH OPENING	7'-11 3/8"	8'-5 3/8"	8'-11 3/8"	9'-11 3/8"	10'-11 3/8"
3'-5"	WPC 24-36-36-24 CPC 24-36-36-24	WPC 24-42-36-24 CPC 24-42-36-24	WPC 24-48-36-24 CPC 24-48-36-24	WPC 24-60-36-24 CPC 24-60-36-24	WPC 24-72-36-24 CPC 24-72-36-24
3'-11"	WPC 24-36-42-24 CPC 24-36-42-24	WPC 24-42-42-24 CPC 24-42-42-24	WPC 24-48-42-24 CPC 24-48-42-24	WPC 24-60-42-24 CPC 24-60-42-24	WPC 24-72-42-24 CPC 24-72-42-24
4'-5"	WPC 24-36-48-24 CPC 24-36-48-24	WPC 24-42-48-24 CPC 24-42-48-24	WPC 24-48-48-24 CPC 24-48-48-24	WPC 24-60-48-24 CPC 24-60-48-24	WPC 24-72-48-24 CPC 24-72-48-24
5'-5"	WPC 24-36-60-24 CPC 24-36-60-24	WPC 24-42-60-24 CPC 24-42-60-24	WPC 24-48-60-24 CPC 24-48-60-24	WPC 24-60-60-24 CPC 24-60-60-24	WPC 24-72-60-24 CPC 24-72-60-24
6'-5"	WPC 24-36-72-24 CPC 24-36-72-24	WPC 24-42-72-24 CPC 24-42-72-24	WPC 24-48-72-24 CPC 24-48-72-24	WPC 24-60-72-24 CPC 24-60-72-24	WPC 24-72-72-24 CPC 24-72-72-24

**WOOD
CASEMENT
BAY**

30 degree

**CLAD
CASEMENT
BAY**

30 degree

	BRICK MOLD DIMENSION		5'-0 3/8"	5'-4 3/8"	5'-8 3/8"	6'-0 3/8"	6'-8 3/8"	7'-2 3/8"	7'-8 3/8"	8'-8 3/8"	9'-8 3/8"	
	ROUGH OPENING		4'-8 7/8"	5'-0 7/8"	5'-4 7/8"	5'-8 7/8"	6'-4 7/8"	6'-10 7/8"	7'-4 7/8"	8'-4 7/8"	9'-4 7/8"	
	PROJECTION		10 7/8"	10 7/8"	10 7/8"	10 7/8"	10 7/8"	10 7/8"	10 7/8"	10 7/8"	10 7/8"	
5'-5 11/16"	5'-3 5/8"	5'-4 1/8"	MASONRY OPENING	4'-10 3/8"	5'-2 3/8"	5'-6 3/8"	5'-10 3/8"	6'-6 3/8"	7'-0 3/8"	7'-6 3/8"	8'-6 3/8"	9'-6 3/8"
			ROUGH OPENING	4'-8 7/8"	5'-0 7/8"	5'-4 7/8"	5'-8 7/8"	6'-4 7/8"	6'-10 7/8"	7'-4 7/8"	8'-4 7/8"	9'-4 7/8"
4'-5 11/16"	4'-3 5/8"	4'-4 1/8"	PROJECTION	11 5/8"	11 5/8"	11 5/8"	11 5/8"	11 5/8"	11 5/8"	11 5/8"	11 5/8"	
3'-5 11/16"	3'-3 5/8"	3'-4 1/8"	WCY	16-1636-16	16-2036-16	16-2436-16	16-2836-16	16-3636-16	16-4236-16	16-4836-16	16-6036-16	16-7236-16
			CCY	16-1636-16	16-2036-16	16-2436-16	16-2836-16	16-3636-16	16-4236-16	16-4836-16	16-6036-16	16-7236-16
3'-11 11/16"	3'-9 5/8"	3'-10 1/8"	WCY	16-1642-16	16-2042-16	16-2442-16	16-2842-16	16-3642-16	16-4242-16	16-4842-16	16-6042-16	16-7242-16
			CCY	16-1642-16	16-2042-16	16-2442-16	16-2842-16	16-3642-16	16-4242-16	16-4842-16	16-6042-16	16-7242-16
4'-5 11/16"	4'-3 5/8"	4'-4 1/8"	WCY	16-1648-16	16-2048-16	16-2448-16	16-2848-16	16-3648-16	16-4248-16	16-4848-16	16-6048-16	16-7248-16
			CCY	16-1648-16	16-2048-16	16-2448-24	16-2848-16	16-3648-16	16-4248-16	16-4848-16	16-6048-16	16-7248-16
5'-5 11/16"	5'-3 5/8"	5'-4 1/8"	WCY	16-1660-16	16-2060-16	16-2460-16	16-2860-16	16-3660-16	16-4260-16	16-4860-16	16-6060-16	16-7260-16
			CCY	16-1660-16	16-2060-16	16-2460-16	16-2860-16	16-3660-16	16-4260-16	16-4860-16	16-6060-16	16-7260-16

	BRICK MOLD DIMENSION		5'-11 3/8"	6'-3 3/8"	6'-7 3/8"	7'-3 3/8"	7'-9 3/8"	8'-3 3/8"	9'-3 3/8"	10'-3 3/8"	
	ROUGH OPENING		5'-7 3/4"	5'-11 3/4"	6'-3 3/4"	6'-11 3/4"	7'-5 3/4"	7'-11 3/4"	8'-11 3/4"	9'-11 3/4"	
	PROJECTION		12 7/8"	12 7/8"	12 7/8"	12 7/8"	12 7/8"	12 7/8"	12 7/8"	12 7/8"	
5'-5 11/16"	5'-3 5/8"	5'-4 1/8"	MASONRY OPENING	5'-9 3/8"	6'-1 3/8"	6'-5 3/8"	7'-1 3/8"	7'-7 3/8"	8'-1 3/8"	9'-1 3/8"	10'-1 3/8"
			ROUGH OPENING	5'-7 3/4"	5'-11 3/4"	6'-3 3/4"	6'-11 3/4"	7'-5 3/4"	7'-11 3/4"	8'-11 3/4"	9'-11 3/4"
4'-5 11/16"	4'-3 5/8"	4'-4 1/8"	PROJECTION	13 5/8"	13 5/8"	13 5/8"	13 5/8"	13 5/8"	13 5/8"	13 5/8"	
3'-5 11/16"	3'-3 5/8"	3'-4 1/8"	WCY	20-2036-20	20-2436-20	20-2836-20	20-3636-20	20-4236-20	20-4836-20	20-6036-20	20-7236-20
			CCY	20-2036-20	20-2436-20	20-2836-20	20-3636-20	20-4236-20	20-4836-20	20-6036-20	20-7236-20
3'-11 11/16"	3'-9 5/8"	3'-10 1/8"	WCY	20-2042-20	20-2442-20	20-2842-20	20-3642-20	20-4242-20	20-4842-20	20-6042-20	20-7242-20
			CCY	20-2042-20	20-2442-20	20-2842-20	20-3642-20	20-4242-20	20-4842-20	20-6042-20	20-7242-20
4'-5 11/16"	4'-3 5/8"	4'-4 1/8"	WCY	20-2048-20	20-2448-20	20-2848-20	20-3648-20	20-4248-20	20-4848-20	20-6048-20	20-7248-20
			CCY	20-2048-20	20-2448-24	20-2848-20	20-3648-20	20-4248-20	20-4848-20	20-6048-20	20-7248-20
5'-5 11/16"	5'-3 5/8"	5'-4 1/8"	WCY	20-2060-20	20-2460-20	20-2860-20	20-3660-20	20-4260-20	20-4860-20	20-6060-20	20-7260-20
			CCY	20-2060-20	20-2460-20	20-2860-20	20-3660-20	20-4260-20	20-4860-20	20-6060-20	20-7260-20

BRICK MOLD DIMENSION		4'-7 3/4"	4'-11 3/4"	5'-3 3/4"	5'-7 3/4"	6'-3 3/4"	6'-9 3/4"	7'-3 3/4"	8'-3 3/4"	9'-3 3/4"	
ROUGH OPENING		4'-3 3/8"	4'-7 3/8"	4'-11 3/8"	5'-3 3/8"	5'-11 3/8"	6'-5 3/8"	6'-11 3/8"	7'-11 3/8"	8'-11 3/8"	
PROJECTION		15 3/4"	15 3/4"	15 3/4"	15 3/4"	15 3/4"	15 3/4"	15 3/4"	15 3/4"	15 3/4"	
MASONRY OPENING		4'-5 1/4"	4'-9 1/4"	5'-1 1/4"	5'-5 1/4"	6'-1 1/4"	6'-7 1/4"	7'-2 1/4"	8'-2 1/4"	9'-2 1/4"	
ROUGH OPENING		4'-3 3/8"	4'-7 3/8"	4'-11 3/8"	5'-3 3/8"	5'-11 3/8"	6'-5 3/8"	6'-11 3/8"	7'-11 3/8"	8'-11 3/8"	
PROJECTION		16 1/4"	16 1/4"	16 1/4"	16 1/4"	16 1/4"	16 1/4"	16 1/4"	16 1/4"	16 1/4"	
5'-5 11/16"	5'-5"	WCY	16-1636-16	16-2036-16	16-2436-16	16-2836-16	16-3636-16	16-4236-16	16-4836-16	16-6036-16	16-7236-16
3'-5 11/16"	3'-5"	CCY	16-1636-16	16-2036-16	16-2436-16	16-2836-16	16-3636-16	16-4236-16	16-4836-16	16-6036-16	16-7236-16
5'-5 11/16"	5'-3 5/8"	WCY	16-1642-16	16-2042-16	16-2442-16	16-2842-16	16-3642-16	16-4242-16	16-4842-16	16-6042-16	16-7242-16
3'-5 11/16"	3'-11"	CCY	16-1642-16	16-2042-16	16-2442-16	16-2842-16	16-3642-16	16-4242-16	16-4842-16	16-6042-16	16-7242-16
5'-5 11/16"	4'-5"	WCY	16-1648-16	16-2048-16	16-2448-16	16-2848-16	16-3648-16	16-4248-16	16-4848-16	16-6048-16	16-7248-16
4'-5 11/16"	4'-3 5/8"	CCY	16-1648-16	16-2048-16	16-2448-24	16-2848-16	16-3648-16	16-4248-16	16-4848-16	16-6048-16	16-7248-16
5'-5 11/16"	5'-3 5/8"	WCY	16-1660-16	16-2060-16	16-2460-16	16-2860-16	16-3660-16	16-4260-16	16-4860-16	16-6060-16	16-7260-16
3'-5 11/16"	3'-11"	CCY	16-1660-16	16-2060-16	16-2460-16	16-2860-16	16-3660-16	16-4260-16	16-4860-16	16-6060-16	16-7260-16

BRICK MOLD DIMENSION		5'-5 1/2"	5'-9 1/2"	6'-1 1/2"	6'-9 1/2"	7'-3 1/2"	7'-9 1/2"	8'-9 1/2"	9'-9 1/2"	
ROUGH OPENING		5'-1"	5'-5"	5'-9"	6'-5"	6'-11"	7'-5"	8'-5"	9'-5"	
PROJECTION		18 5/8"	18 5/8"	18 5/8"	18 5/8"	18 5/8"	18 5/8"	18 5/8"	18 5/8"	
MASONRY OPENING		5'-2 7/8"	5'-6 7/8"	6'-0 7/8"	6'-8 7/8"	7'-2 7/8"	7'-8 7/8"	8'-8 7/8"	9'-8 7/8"	
ROUGH OPENING		5'-1"	5'-5"	5'-9"	6'-5"	6'-11"	7'-5"	8'-5"	9'-5"	
PROJECTION		19 1/8"	19 1/8"	19 1/8"	19 1/8"	19 1/8"	19 1/8"	19 1/8"	19 1/8"	
5'-5 11/16"	5'-5"	WCY	20-2036-20	20-2436-20	20-2836-20	20-3636-20	20-4236-20	20-4836-20	20-6036-20	20-7236-20
3'-5 11/16"	3'-5"	CCY	20-2036-20	20-2436-20	20-2836-20	20-3636-20	20-4236-20	20-4836-20	20-6036-20	20-7236-20
5'-5 11/16"	5'-3 5/8"	WCY	20-2042-20	20-2442-20	20-2842-20	20-3642-20	20-4242-20	20-4842-20	20-6042-20	20-7242-20
3'-5 11/16"	3'-11"	CCY	20-2042-20	20-2442-20	20-2842-20	20-3642-20	20-4242-20	20-4842-20	20-6042-20	20-7242-20
5'-5 11/16"	4'-5"	WCY	20-2048-20	20-2448-20	20-2848-20	20-3648-20	20-4248-20	20-4848-20	20-6048-20	20-7248-20
4'-5 11/16"	4'-3 5/8"	CCY	20-2048-20	20-2448-24	20-2848-20	20-3648-20	20-4248-20	20-4848-20	20-6048-20	20-7248-20
5'-5 11/16"	5'-3 5/8"	WCY	20-2060-20	20-2460-20	20-2860-20	20-3660-20	20-4260-20	20-4860-20	20-6060-20	20-7260-20
3'-5 11/16"	3'-11"	CCY	20-2060-20	20-2460-20	20-2860-20	20-3660-20	20-4260-20	20-4860-20	20-6060-20	20-7260-20

CLAD CASEMENT BOW

WOOD CASEMENT BOW

	UNIT WIDTH			UNIT HEIGHT	
	Masonry Opening	Rough Opening	Projection	Masonry Opening	Rough Opening
CCW 3-1636	4'-11 1/2"	4'-11 1/2"	4 7/8"	3'-3 5/8"	3'-4 1/8"
CCW 4-1636	6'-6 3/4"	6'-6 1/2"	9 3/8"	3'-3 5/8"	3'-4 1/8"
CCW 5-1636	8'-1 1/2"	8'-1"	12"	3'-3 5/8"	3'-4 1/8"
CCW 3-1642	4'-11 1/2"	4'-11 1/2"	4 7/8"	3'-9 5/8"	3'-10 1/8"
CCW 4-1642	6'-6 3/4"	6'-6 1/2"	9 3/8"	3'-9 5/8"	3'-10 1/8"
CCW 5-1642	8'-1 1/2"	8'-1"	12"	3'-9 5/8"	3'-10 1/8"
CCW 3-1648	4'-11 1/2"	4'-11 1/2"	4 7/8"	4'-3 5/8"	4'-4 1/8"
CCW 4-1648	6'-6 3/4"	6'-6 1/2"	9 3/8"	4'-3 5/8"	4'-4 1/8"
CCW 5-1648	8'-1 1/2"	8'-1"	12"	4'-3 5/8"	4'-4 1/8"
CCW 3-1660	4'-11 1/2"	4'-11 1/2"	4 7/8"	5'-3 5/8"	5'-4 1/8"
CCW 4-1660	6'-6 3/4"	6'-6 1/2"	9 3/8"	5'-3 5/8"	5'-4 1/8"
CCW 5-1660	8'-1 1/2"	8'-1"	12"	5'-3 5/8"	5'-4 1/8"
CCW 3-2036	5'-11 3/4"	5'-11 1/2"	5 1/8"	3'-3 5/8"	3'-4 1/8"
CCW 4-2036	7'-10 3/8"	7'-10"	10 7/8"	3'-3 5/8"	3'-4 1/8"
CCW 5-2036	9'-9 1/8"	9'-8 1/2"	13 7/8"	3'-3 5/8"	3'-4 1/8"
CCW 3-2042	5'-11 3/4"	5'-11 1/2"	5 1/8"	3'-9 5/8"	3'-10 1/8"
CCW 4-2042	7'-10 3/8"	7'-10"	10 7/8"	3'-9 5/8"	3'-10 1/8"
CCW 5-2042	9'-9 1/8"	9'-8 1/2"	13 7/8"	3'-9 5/8"	3'-10 1/8"
CCW 3-2048	5'-11 3/4"	5'-11 1/2"	5 1/8"	4'-3 5/8"	4'-4 1/8"
CCW 4-2048	7'-10 3/8"	7'-10"	10 7/8"	4'-3 5/8"	4'-4 1/8"
CCW 5-2048	9'-9 1/8"	9'-8 1/2"	13 7/8"	4'-3 5/8"	4'-4 1/8"
CCW 3-2060	5'-11 3/4"	5'-11 1/2"	5 1/8"	5'-3 5/8"	5'-4 1/8"
CCW 4-2060	7'-10 3/8"	7'-10"	10 7/8"	5'-3 5/8"	5'-4 1/8"
CCW 5-2060	9'-9 1/8"	9'-8 1/2"	13 7/8"	5'-3 5/8"	5'-4 1/8"
CCW 3-2436	6'-11 3/8"	6'-11 1/2"	6 3/8"	3'-3 5/8"	3'-4 1/8"
CCW 4-2436	9'-2"	9'-2"	11 1/2"	3'-3 5/8"	3'-4 1/8"
CCW 5-2436	11'-4 5/8"	11'-4"	15 3/4"	3'-3 5/8"	3'-4 1/8"
CCW 3-2442 ♦	6'-11 3/8"	6'-11 1/2"	6 3/8"	3'-9 5/8"	3'-10 1/8"
CCW 4-2442 ♦	9'-2"	9'-2"	11 1/2"	3'-9 5/8"	3'-10 1/8"
CCW 5-2442 ♦	11'-4 5/8"	11'-4"	15 3/4"	3'-9 5/8"	3'-10 1/8"
CCW 3-2448 ♦	6'-11 3/8"	6'-11 1/2"	6 3/8"	4'-3 5/8"	4'-4 1/8"
CCW 4-2448 ♦	9'-2"	9'-2"	11 1/2"	4'-3 5/8"	4'-4 1/8"
CCW 5-2448 ♦	11'-4 5/8"	11'-4"	15 3/4"	4'-3 5/8"	4'-4 1/8"
CCW 3-2460 ♦	6'-11 3/8"	6'-11 1/2"	6 3/8"	5'-3 5/8"	5'-4 1/8"
CCW 4-2460 ♦	9'-2"	9'-2"	11 1/2"	5'-3 5/8"	5'-4 1/8"
CCW 5-2460 ♦	11'-4 5/8"	11'-4"	15 3/4"	5'-3 5/8"	5'-4 1/8"

	UNIT WIDTH			UNIT HEIGHT	
	Brick Mold Dimension	Rough Opening	Projection	Brick Mold Dimension	Rough Opening
WCW 3-1636	5'-1 5/8"	4'-10 1/2"	8 1/4"	3'-5 11/16"	3'-5"
WCW 4-1636	6'-8 1/8"	6'-5"	12 3/8"	3'-5 11/16"	3'-5"
WCW 5-1636	8'-2 1/2"	7'-11"	15 3/8"	3'-5 11/16"	3'-5"
WCW 3-1642	5'-1 5/8"	4'-10 1/2"	8 1/4"	3'-11 11/16"	3'-11"
WCW 4-1642	6'-8 1/8"	6'-5"	12 3/8"	3'-11 11/16"	3'-11"
WCW 5-1642	8'-2 1/2"	7'-11"	15 3/8"	3'-11 11/16"	3'-11"
WCW 3-1648	5'-1 5/8"	4'-10 1/2"	8 1/4"	4'-5 11/16"	4'-5"
WCW 4-1648	6'-8 1/8"	6'-5"	12 3/8"	4'-5 11/16"	4'-5"
WCW 5-1648	8'-2 1/2"	7'-11"	15 3/8"	4'-5 11/16"	4'-5"
WCW 3-1660	5'-1 5/8"	4'-10 1/2"	8 1/4"	5'-5 11/16"	5'-5"
WCW 4-1660	6'-8 1/8"	6'-5"	12 3/8"	5'-5 11/16"	5'-5"
WCW 5-1660	8'-2 1/2"	7'-11"	15 3/8"	5'-5 11/16"	5'-5"
WCW 3-2036	6'-1 1/2"	5'-10 1/2"	8 3/4"	3'-5 11/16"	3'-5"
WCW 4-2036	8'-0"	7'-9"	13 1/4"	3'-5 11/16"	3'-5"
WCW 5-2036	9'-9 3/4"	9'-6 1/2"	17 1/2"	3'-5 11/16"	3'-5"
WCW 3-2042	6'-1 1/2"	5'-10 1/2"	8 3/4"	3'-11 11/16"	3'-11"
WCW 4-2042	8'-0"	7'-9"	13 1/4"	3'-11 11/16"	3'-11"
WCW 5-2042	9'-9 3/4"	9'-6 1/2"	17 1/2"	3'-11 11/16"	3'-11"
WCW 3-2048	6'-1 1/2"	5'-10 1/2"	8 3/4"	4'-5 11/16"	4'-5"
WCW 4-2048	8'-0"	7'-9"	13 1/4"	4'-5 11/16"	4'-5"
WCW 5-2048	9'-9 3/4"	9'-6 1/2"	17 1/2"	4'-5 11/16"	4'-5"
WCW 3-2060	6'-1 1/2"	5'-10 1/2"	8 3/4"	5'-5 11/16"	5'-5"
WCW 4-2060	8'-0"	7'-9"	13 1/4"	5'-5 11/16"	5'-5"
WCW 5-2060	9'-9 3/4"	9'-6 1/2"	17 1/2"	5'-5 11/16"	5'-5"
WCW 3-2436	7'-1"	6'-10"	10 1/8"	3'-5 11/16"	3'-5"
WCW 4-2436	9'-3 5/8"	9'-0 1/2"	14 3/4"	3'-5 11/16"	3'-5"
WCW 5-2436	11'-5 1/4"	11'-2"	19 1/2"	3'-5 11/16"	3'-5"
WCW 3-2442 ♦	7'-1"	6'-10"	10 1/8"	3'-11 11/16"	3'-11"
WCW 4-2442 ♦	9'-3 5/8"	9'-0 1/2"	14 3/4"	3'-11 11/16"	3'-11"
WCW 5-2442 ♦	11'-5 1/4"	11'-2"	19 1/2"	3'-11 11/16"	3'-11"
WCW 3-2448 ♦	7'-1"	6'-10"	10 1/8"	4'-5 11/16"	4'-5"
WCW 4-2448 ♦	9'-3 5/8"	9'-0 1/2"	14 3/4"	4'-5 11/16"	4'-5"
WCW 5-2448 ♦	11'-5 1/4"	11'-2"	19 1/2"	4'-5 11/16"	4'-5"
WCW 3-2460 ♦	7'-1"	6'-10"	10 1/8"	5'-5 11/16"	5'-5"
WCW 4-2460 ♦	9'-3 5/8"	9'-0 1/2"	14 3/4"	5'-5 11/16"	5'-5"
WCW 5-2460 ♦	11'-5 1/4"	11'-2"	19 1/2"	5'-5 11/16"	5'-5"

CLAD PICTURE

WOOD PICTURE

UNIT WIDTH UNIT HEIGHT

UNIT WIDTH UNIT HEIGHT

	Rough Opening	Unit Size	Rough Opening	Unit Size		Brick Mold Dimension	Rough Opening	Unit Size	Brick Mold Dimension	Rough Opening	Unit Size
CP-2836	2'-8 1/8"	2'-7 5/8"	3'-4 1/8"	3'-3 5/8"		WP-2836	2'-9 7/8"	2'-8 1/16"	2'-7 9/16"	3'-5 11/16"	3'-4 9/16"
CP-2842	2'-8 1/8"	2'-7 5/8"	3'-10 1/8"	3'-9 5/8"		WP-2842	2'-9 7/8"	2'-8 1/16"	2'-7 9/16"	3'-11 11/16"	3'-10 9/16"
CP-2848	2'-8 1/8"	2'-7 5/8"	4'-4 1/8"	4'-3 5/8"		WP-2848	2'-9 7/8"	2'-8 1/16"	2'-7 9/16"	4'-5 11/16"	4'-4 9/16"
CP-2860	2'-8 1/8"	2'-7 5/8"	5'-4 1/8"	5'-3 5/8"		WP-2860	2'-9 7/8"	2'-8 1/16"	2'-7 9/16"	5'-5 11/16"	5'-4 9/16"
CP-2872 ⊕	2'-8 1/8"	2'-7 5/8"	6'-4 1/8"	6'-3 5/8"		WP-2872 ⊕	2'-9 7/8"	2'-8 1/16"	2'-7 9/16"	6'-5 11/16"	6'-4 9/16"
CP-3636	3'-4 1/8"	3'-3 5/8"	3'-4 1/8"	3'-3 5/8"		WP-3636	3'-5 7/8"	3'-4 1/16"	3'-3 9/16"	3'-5 11/16"	3'-4 9/16"
CP-3642	3'-4 1/8"	3'-3 5/8"	3'-10 1/8"	3'-9 5/8"		WP-3642	3'-5 7/8"	3'-4 1/16"	3'-3 9/16"	3'-11 11/16"	3'-10 9/16"
CP-3648	3'-4 1/8"	3'-3 5/8"	4'-4 1/8"	4'-3 5/8"		WP-3648	3'-5 7/8"	3'-4 1/16"	3'-3 9/16"	4'-5 11/16"	4'-4 9/16"
CP-3660	3'-4 1/8"	3'-3 5/8"	5'-4 1/8"	5'-3 5/8"		WP-3660	3'-5 7/8"	3'-4 1/16"	3'-3 9/16"	5'-5 11/16"	5'-4 9/16"
CP-3672 ⊕	3'-4 1/8"	3'-3 5/8"	6'-4 1/8"	6'-3 5/8"		WP-3672 ⊕	3'-5 7/8"	3'-4 1/16"	3'-3 9/16"	6'-5 11/16"	6'-4 9/16"
CP-4236	3'-10 1/8"	3'-9 5/8"	3'-4 1/8"	3'-3 5/8"		WP-4236	3'-11 7/8"	3'-10 1/16"	3'-9 9/16"	3'-5 11/16"	3'-4 9/16"
CP-4242	3'-10 1/8"	3'-9 5/8"	3'-10 1/8"	3'-9 5/8"		WP-4242	3'-11 7/8"	3'-10 1/16"	3'-9 9/16"	3'-11 11/16"	3'-10 9/16"
CP-4248	3'-10 1/8"	3'-9 5/8"	4'-4 1/8"	4'-3 5/8"		WP-4248	3'-11 7/8"	3'-10 1/16"	3'-9 9/16"	4'-5 11/16"	4'-4 9/16"
CP-4260	3'-10 1/8"	3'-9 5/8"	5'-4 1/8"	5'-3 5/8"		WP-4260	3'-11 7/8"	3'-10 1/16"	3'-9 9/16"	5'-5 11/16"	5'-4 9/16"
CP-4272 ⊕	3'-10 1/8"	3'-9 5/8"	6'-4 1/8"	6'-3 5/8"		WP-4272 ⊕	3'-11 7/8"	3'-10 1/16"	3'-9 9/16"	6'-5 11/16"	6'-4 9/16"
CP-4836	4'-4 1/8"	4'-3 5/8"	3'-4 1/8"	3'-3 5/8"		WP-4836	4'-5 7/8"	4'-4 1/16"	4'-3 9/16"	3'-5 11/16"	3'-4 9/16"
CP-4842	4'-4 1/8"	4'-3 5/8"	3'-10 1/8"	3'-9 5/8"		WP-4842	4'-5 7/8"	4'-4 1/16"	4'-3 9/16"	3'-11 11/16"	3'-10 9/16"
CP-4848	4'-4 1/8"	4'-3 5/8"	4'-4 1/8"	4'-3 5/8"		WP-4848	4'-5 7/8"	4'-4 1/16"	4'-3 9/16"	4'-5 11/16"	4'-4 9/16"
CP-4860	4'-4 1/8"	4'-3 5/8"	5'-4 1/8"	5'-3 5/8"		WP-4860	4'-5 7/8"	4'-4 1/16"	4'-3 9/16"	5'-5 11/16"	5'-4 9/16"
CP-4872 ⊕	4'-4 1/8"	4'-3 5/8"	6'-4 1/8"	6'-3 5/8"		WP-4872 ⊕	4'-5 7/8"	4'-4 1/16"	4'-3 9/16"	6'-5 11/16"	6'-4 9/16"
CP-6036	5'-4 1/8"	5'-3 5/8"	3'-4 1/8"	3'-3 5/8"		WP-6036	5'-5 7/8"	5'-4 1/16"	5'-3 9/16"	3'-5 11/16"	3'-4 9/16"
CP-6042	5'-4 1/8"	5'-3 5/8"	3'-10 1/8"	3'-9 5/8"		WP-6042	5'-5 7/8"	5'-4 1/16"	5'-3 9/16"	3'-11 11/16"	3'-10 9/16"
CP-6048	5'-4 1/8"	5'-3 5/8"	4'-4 1/8"	4'-3 5/8"		WP-6048	5'-5 7/8"	5'-4 1/16"	5'-3 9/16"	4'-5 11/16"	4'-4 9/16"
CP-6060	5'-4 1/8"	5'-3 5/8"	5'-4 1/8"	5'-3 5/8"		WP-6060	5'-5 7/8"	5'-4 1/16"	5'-3 9/16"	5'-5 11/16"	5'-4 9/16"
CP-6072 ⊕	5'-4 1/8"	5'-3 5/8"	6'-4 1/8"	6'-3 5/8"		WP-6072 ⊕	5'-5 7/8"	5'-4 1/16"	5'-3 9/16"	6'-5 11/16"	6'-4 9/16"
CP-7236	6'-4 1/8"	6'-3 5/8"	3'-4 1/8"	3'-3 5/8"		WP-7236	6'-5 7/8"	6'-4 1/16"	6'-3 9/16"	3'-5 11/16"	3'-4 9/16"
CP-7242	6'-4 1/8"	6'-3 5/8"	3'-10 1/8"	3'-9 5/8"		WP-7242	6'-5 7/8"	6'-4 1/16"	6'-3 9/16"	3'-11 11/16"	3'-10 9/16"
CP-7248	6'-4 1/8"	6'-3 5/8"	4'-4 1/8"	4'-3 5/8"		WP-7248	6'-5 7/8"	6'-4 1/16"	6'-3 9/16"	4'-5 11/16"	4'-4 9/16"
CP-7260	6'-4 1/8"	6'-3 5/8"	5'-4 1/8"	5'-3 5/8"		WP-7260	6'-5 7/8"	6'-4 1/16"	6'-3 9/16"	5'-5 11/16"	5'-4 9/16"
CP-7272 ⊕	6'-4 1/8"	6'-3 5/8"	6'-4 1/8"	6'-3 5/8"		WP-7272 ⊕	6'-5 7/8"	6'-4 1/16"	6'-3 9/16"	6'-5 11/16"	6'-4 9/16"

⊕ Denotes a possible requirement for tempering or safety glazing

◆ Denotes an egress window